

Table of Contents

| | |
|---|-----|
| Foreword | X |
| International review committee | XI |
| Keynote & Invited papers | |
| The quest for water through artificial recharge and wastewater recycling <i>W Mills</i> | 3 |
| Health aspects of groundwater recharge with reclaimed water <i>T Asano, R Tsuchihashi, RH Sakaji</i> | 11 |
| Soil aquifer treatment: an assessment of sustainability <i>P Fox</i> | 21 |
| Sustainability of managed recharge | |
| Fifty years artificial recharge in the Amsterdam dune area <i>TN Olsthoorn, MJM Mosch</i> | 29 |
| Long-term stormwater and wastewater infiltration into a sandy aquifer, South Africa <i>G Tredoux, L Cavé, R Bishop</i> | 35 |
| Sustainable use of aquifers for artificial recharge in South-Holland <i>H de Jonge, G Frapporti, M Kortleve</i> | 41 |
| The aquifer recharge system of Geneva, Switzerland: a 20 year successful experience <i>G de los Cobos</i> | 49 |
| Artificial recharge for sustainability and cost reduction in the eastern Netherlands <i>J Hoogendoorn</i> | 53 |
| Water quality changes in the subsurface | |
| River bed specifics and their effect on bank filtration efficiency <i>T Grischek, W Macheleidt, W Nestler</i> | 59 |
| Water quality changes during aquifer storage recovery (ASR) <i>RDG Pyne</i> | 65 |
| ASRRI : A predictive index of contaminant attenuation during aquifer storage and recovery <i>R Miller, R Correll, P Dillon, R Kookana</i> | 69 |
| Geochemistry of aquifer recharge | |
| Quantifying the hydrogeochemical impact and sustainability of artificial recharge systems <i>PJ Stuyfzand</i> | 77 |
| Water quality changes during aquifer storage and recovery at Bolivar, South Australia <i>JL Vanderzalm, C Le Gal La Salle, JL Hutson, PJ Dillon</i> | 83 |
| Geochemical processes during riverbank filtration in a polder region bordering the river Oder, Germany <i>G Massmann, A Pekdeger, C Merz</i> | 89 |
| Geochemical and hydraulic investigations of river sediments in a bank filtration system <i>B Fritz, J Sievers, S Eichhorn, A Pekdeger</i> | 95 |
| Chemical processes at two artificial recharge sites in South Africa <i>LC Cavé, G Tredoux</i> | 101 |
| Hydrogeochemistry of prolonged deep well injection and subsequent aquifer storage in pyritiferous sands; DIZON pilot, Netherlands <i>PJ Stuyfzand, AJ Vogelaar, J Wakker</i> | 107 |

| | |
|---|-----|
| Optimizing the cycle testing and chemical monitoring program for new ASR wells by a monitoring expert system in water resources | 111 |
| <i>PJ Stuyfzand</i> | |
| Interactions between injected and native water in rural ASR in a brackish aquifer in North India | 115 |
| <i>RS Malik, BS Jhorar, RK Jhorar, RP Mor, RK Suthar, T Streck, J Richter</i> | |
| Hydrochemical investigation preceding artificial recharge at Los Arenales, Duero basin, Spain | 119 |
| <i>AE Fernández Escalante, B Buil Gutierrez, J López Gutiérrez</i> | |
| Fate of pathogens | |
| Removal of micro-organisms upon basin recharge, deep well injection and river bank filtration in the Netherlands | 125 |
| <i>GJ Medema, PJ Stuyfzand</i> | |
| Influence of conditions on the survival of enteric viruses and indicator organisms in groundwater | 133 |
| <i>C Gordon, K Wall, S Toze, G O'Hara</i> | |
| The survival potential of enteric microbial pathogens in a reclaimed water ASR project | 139 |
| <i>S Toze, J Hanna</i> | |
| Interaction of <i>Escherichia coli</i> with groundwater and reclaimed water biofilms | 143 |
| <i>N Banning, S Toze, B Mee</i> | |
| Fate of organics | |
| Changes in natural organic matter during aquifer storage | 149 |
| <i>JO Skjemstad, MHB Hayes, RS Swift</i> | |
| Fate of disinfection by-products during aquifer storage and recovery | 155 |
| <i>BC Nicholson, P Dillon, P Pavelic</i> | |
| Organic substances in partly closed water cycles | 161 |
| <i>D Ziegler, C Hartig, S Wischnack, M Jekel</i> | |
| Pharmaceutically active compounds in aquifer storage and recovery | 169 |
| <i>SJ Khan, E Rorije</i> | |
| Cyanobacterial toxins in bank filtered water from Lake Wannsee, Berlin | 175 |
| <i>G Grützmacher, G Böttcher, I Chorus, A Knappe, A Pekdeger</i> | |
| Removing petroleum pollutants from rainwater recharged into unconfined aquifer through surfactant-modified overlying soils | 181 |
| <i>K Zhu, H Chen, W Zhou, R Yang, G Min</i> | |
| Management of clogging | |
| Injection well clogging processes during aquifer storage and recovery (ASR) with reclaimed water | 189 |
| <i>S Rinck-Pfeiffer, P Dillon, S Ragusa, J Hutson</i> | |
| Clogging rate of recharge wells in porous media | 195 |
| <i>NA Buik, A Willemsen</i> | |
| Management of physical clogging during ASR at Jandakot, Perth, Western Australia | 199 |
| <i>M Martin, C Xu, KJ Rattray</i> | |
| Wastewater quality treatment and management for reuse in the Wilunga ASR project | 203 |
| <i>F Buisine, D Oemcke</i> | |
| Iron precipitation clogging of a recovery well following nearby deep well injection | 209 |
| <i>JHN Moorman, MG Colin, PJ Stuyfzand</i> | |
| Modified recharge basin floors control sediment and maximize infiltration efficiency | 215 |
| <i>DE Peyton,</i> | |
| Modelling the accumulation rate and chemical composition of clogging sludge layers in recharge basins with Easy-Leacher® 4.6 | 221 |
| <i>PJ Stuyfzand</i> | |
| Evaluation of groundwater recharge schemes in the Shahrood District, Northeast Iran | 225 |
| <i>GA Kazemi, H Mehdizadeh, R Ashouri</i> | |
| Study on the reduction of infiltration rate of Emamzadeh Jaafar artificial recharge project, Iran | 231 |
| <i>M Zare, E Raeisi, A Zeynali</i> | |

| | |
|--|-----|
| Groundwater hydraulics and storage recovery | |
| A multi-tracer study on bank filtration processes in Berlin <i>A Knappe, HW Hubberten, A Pekdeger, P Dulski, P Moller</i> | 239 |
| Stable isotopes (^2H and ^{18}O) and chloride as environmental tracers in a study of artificial recharge in Denmark <i>NO Jørgensen, BB Helleberg</i> | 245 |
| Borehole injection tests in Windhoek's fractured quartzite aquifer <i>EC Murray, G Tredoux</i> | 251 |
| Defining transport near ASR operations using sulfur hexafluoride gas tracer experiments <i>JF Clark</i> | 257 |
| Modelling of artificial water oscillations in a flooded lignite mine <i>C Kohfahl, E Hamann, A Pekdeger</i> | 261 |
| Isotope contribution to geochemical investigations for aquifer storage and recovery <i>C Le Gal La Salle, J Vanderzalm, J Hutson, P Dillon, P Pavelic, R Martin</i> | 265 |
| Estimating water-table change using microgravity surveys during an ASR program in Lancaster, California <i>JF Howle, SP Phillips, ME Ikehara</i> | 269 |
| Hydrogeological feasibility of disposal of treated effluent in coastal dunes near Auckland, New Zealand <i>P Namjou, AD Pattle</i> | 273 |
| Investigations and project for aquifer replenishment in Prato, Italy <i>F Landini, G Pranzini</i> | 279 |
| Lumped parameter estimation of initial recovery efficiency during aquifer storage and recovery <i>P Pavelic, P Dillon, C Simmons</i> | 285 |
| Water spreading effects on water tables of in arid and semi-arid central Iran <i>A Salajegheh, AR Keshtkar</i> | 291 |
| Influence of artificial recharge basin shapes on the mound underneath in phreatic aquifers <i>AK Rastogi, SN Pandey</i> | 295 |
| Recharge enhancement in fractured rock | |
| Karkams borehole injection tests: Results from injection into a low-permeability fractured granitic aquifer <i>EC Murray, G Tredoux</i> | 301 |
| Impact of water harvesting structures on ground water development: a study from Chittoor District, Andhra Pradesh, India <i>G Sankaranna</i> | 305 |
| Aquifer recharge management for sustainable water supply in a semi-arid, hard rock region of western India <i>SD Limaye</i> | 309 |
| Aquifer storage and recovery in a fractured rock aquifer of the Clare Valley, South Australia <i>GA Harrington, AJ Love, WE Sanford</i> | 315 |
| Water reuse via aquifers | |
| Simultaneous freshwater production and wastewater reclamation in a coastal aquifer at the Dan Plant, Israel <i>Y Guttman, A Sellinger, A Bein</i> | 321 |
| Geochemical processes in recharge basin soils used for municipal effluents reclamation by the soil-aquifer treatment (SAT) system <i>A Banin, C Lin, G Eshel, KE Roehl, I Negev, D Greenwald, Y Shachar, Y Yablekovitch</i> | 327 |
| Optimization and use of various recharge techniques for reclaimed wastewater at a sensitive site in Glendale, Arizona <i>C Legg, S Sagstad</i> | 333 |
| Environmental applications of recharge projects | |
| Considerations for regional ASR in restoring the Florida Everglades, USA <i>MW Fies, S Komlos, RA Renken</i> | 341 |
| The Burdekin Delta – Australia's oldest artificial recharge scheme <i>PB Charlesworth, KA Narayan, KL Bristow, B Lewis, G Laidlow, M McGowan</i> | 347 |
| Recharge enhancement to prevent saltwater intrusion in coastal Spain <i>JA De la Orden Gómez, JM Murillo</i> | 353 |

| | |
|--|-----|
| Artificial recharge to increase base flow in a small catchment, eastern Brazil <i>LAP Bacellar, MGP Leite, CR Murta</i> | 357 |
| Optimal management of an ASR program to control land subsidence in Lancaster, California <i>SP Phillips, CS Carlson, LF Metzger, M Sneed, DL Galloway, KW Hudnut, ME Ikehara</i> | 361 |
| Sensitivity analysis of nonlinear elastic solutions for land subsidence caused by ASR applications <i>J Li, Z Sheng</i> | 367 |
| Well fields for aquifer thermal energy storage; groundwater as a storage medium for renewable energy <i>RC van Elswijk, A Willemsen</i> | 375 |
| Seasonal aquifer storage and recovery of heat with groundwater <i>T Yokoyama, T Goto, K Nagasawa, Y Horino, N Goto</i> | 379 |
| Arid zone water management | |
| OMDEL dam and recharge ponds to enhance recharge in the Namib Desert <i>S Zeelie</i> | 387 |
| Lessons from groundwater recharge projects in Spain <i>JM Murillo Díaz, JA de la Orden Gómez, JA López Geta, JC Rubio Campos, A González-Ramón, M Martín Machuca</i> | 393 |
| Efficacy of sub surface dykes as groundwater conservation structures in hard rock terrain of Tamil Nadu, India <i>CS Ramasesha, P Nandakumaran, S Suresh</i> | 399 |
| Method for dimensioning artificial recharge plants where water supply is irregular <i>JM Murillo, JA López Geta, JA de la Orden-Gómez, CJ Gavilán</i> | 405 |
| Technological developments in artificial recharge of groundwater - case studies in India <i>DK Chudha</i> | 409 |
| Artificial recharge of groundwater in Palestine: A new technique to overcome water deficit <i>RA El-Sheikh, SM Hamdan</i> | 413 |
| Using the concept of artificial recharge to solve the flooding problem of Marj Sanur in Jenin Governorate-Palestine <i>G Abu Ju'ub, K Schetelig</i> | 419 |
| Stormwater harvesting in open pit final voids in the Northern Goldfields of Western Australia <i>J Gerrard</i> | 425 |
| Main technologies and potential analysis on artificial recharge in Beijing <i>ZJ Yao, YC Gao, Y Lu, L Shen</i> | 431 |
| Artificial recharge of groundwater in North China Plain <i>H Zaisheng</i> | 435 |
| Injection well issues and solutions | |
| Water banking in the Australian tropics: results from a trial on South Goulburn Island, Northern Territory <i>P Pavelic, P Dillon, S Toze, C Barber, D Yin Foo, A Knapton, P Jolly</i> | 441 |
| A pilot study of deep-well recharge by Amsterdam Water Supply <i>SW van Duijvenbode, TN Olsthoorn</i> | 447 |
| South Australian experience in aquifer storage and recovery <i>NZ Gerges, P Dillon, XP Sibenaler, R Martin, P Pavelic, SR Howles, K Dennis</i> | 453 |
| Town water supply purification using aquifer storage and recovery in a saline aquifer <i>NZ Gerges, SR Howles, KJ Dennis, PJ Dillon, KE Barry</i> | 459 |
| Long-term successful operation of existing brackish cavity wells for ASR to improve quality for irrigation by Indian farmers <i>RS Malik, BS Jhorar, RK Jhorar, T Streck, J Richter</i> | 465 |
| Pond and bank filtration issues and solutions | |
| Optimisation Groot Berkheide. Integration of artificial recharge and nature in practice <i>MW Kortleve, JB Fritz, HGJM van der Hagen, HG de Jonge, GM Leltz, JH Peters</i> | 471 |
| Pilot study for artificial recharge of groundwater using high rate-infiltration basins in Pintung Plain, Taiwan <i>CS Ting, CY Lin, CH Chuang, CC Liu</i> | 479 |

| | |
|--|-----|
| Bank filtration in Europe - An overview of aquifer conditions and hydraulic controls <i>T Grischek, K Hiscock, D Schoenheinz, E Worch</i> | 485 |
| Ecological engineering of the artificial recharge site Solleveld <i>MW Korileve, HGJM van der Hagen, JH Peters, MH Zwamborn</i> | 489 |
| Formation and composition of sludges in recharge basins, recovery canals and natural lakes in Amsterdam's Dune Catchment area <i>PJ Stuyfzand, M Mosch</i> | 495 |
| Water resources enhancement on the small island of Kapoposang, Indonesia <i>EP Utomo, Saifudin</i> | 499 |
| Artificial recharge potential in the Black Squirrel Creek alluvial basin, Colorado <i>CC Brand, JJ Morigeau, JW Thackston</i> | 503 |
| Holistic urban water management | |
| The Santa Ana River: The challenge of maximizing the use of an urban river <i>AS Hutchinson, GD Woodside</i> | 509 |
| Implementing large scale stormwater recycling schemes - meeting economic, environmental and community objectives <i>H Chaudhary, C Pitman</i> | 515 |
| Diversion of river water to aquifer recharge and landscape utilization in Qiongsan City, China <i>Y Pei, Z Luan, Z Tian, D Hu</i> | 519 |
| Artificial recharge in fractured rocks - an example from the Federal District of Brazil for the sustainability of the system <i>AL Cadamuro, JEG Campos, U Tröger</i> | 523 |
| Agricultural practices and recharge enhancement | |
| Sustainable development of water resources for a karstic region of Java, Indonesia <i>EP Utomo, N Sumawijaya</i> | 529 |
| Hydrogeological studies preceding artificial recharge at Los Arenales, Duero basin, Spain <i>AE Fernández Escalante, R López Gutierrez</i> | 533 |
| Artificial groundwater recharge with sewage from Cairo for a better quality and an increase of groundwater supply <i>U Tröger, YM Abo el Abas</i> | 537 |
| Regional issues and recharge site selection | |
| Geomorphological techniques in locating sites for artificial recharge: a case study from a drought-prone hard-rock terrain in eastern India <i>D Das</i> | 543 |
| Geophysics for site selection, monitoring and operation of groundwater recharge projects <i>M Lloria</i> | 547 |
| Remote sensing-based artificial recharge studies - a case study from Precambrian terrain, India <i>S Anbazhagan, SM Ramasamy</i> | 553 |
| Remote sensing techniques and investigations of surface water used for artificial recharge <i>B Heim, B Fritz, A Pekdeger</i> | 557 |
| GIS based identification of MAR sites within the Port Phillip Catchment, Victoria <i>P Hekmeijer</i> | 561 |
| Author index | 565 |
| International Association of Hydrogeologists Commission on Management of Aquifer Recharge | 567 |